Getac ZX70 Rugged Tablet

Highlights

Compact and powerful, the ZX70 7" fully rugged Android tablet is just the right size. With a thin and light, ergonomic design that's easy to hold in one hand, it's the ideal solution for improved mobile productivity.

The ZX70 provides the best battery runtime performance for mission-critical field operations in its class. Rugged to the core, the ZX70's design is optimised for a wide variety of configurable features and no-compromise ruggedness.

- Dust & waterproof IP67
- 7" touch, 1280 x 720
- Sunlight readable
- Android 10.0
- Operating temperature -21° to 60°C
- Option for ATEX & IECEx certification
- Wide range of options
- 3 years warranty

Getac ZX70 Rugged Tablet

Specifications

Model Type

Rugged tablet

Rugged Feature

MIL-STD-810H & IP67 certified

Vibration & 6ft (1.8m) drop resistant

Option for ANSI/UL 121201, CSA C22.2 NO. 213 (Class I, Division 2, Groups A, B, C, D)

Option for ATEX & IECEx certification with the following:

ATEX/IECEx Zone 2/22

Ex II 3G Ex ic op is IIC T5 Gc

Ex II 3D Ex ic op is IIIB T100°C Dc

Environment

Operating temperature	-21°C to 60°C
Storage temperature	-40°C to 71°C
Humidity	95% RH (non-condensing)

Operating System

Android 10.0

Processor

Qualcomm Snapdragon 660, Octa-core 1.95GHz (up to 2.2GHz)

Graphic Controller

Qualcomm Adreno 512 GPU

Display

7"	1280 x 720, 16:9, WXGA	IPS TFT LCD HD LumiBond with sunlight readable technology

Pointing Device

Projected capacitive multi touch (supports gloves)

RAM

4GB LPDDR4

Storage

eMMC 64GB

Keyboard

Power button

3 tablet programmable buttons

Input / Output

1 x 8M pixels webcam

1 x 12M pixels autofocus rear camera

1 x DC in Jack

1 x USB 2.0 (Host)

1 x MicroUSB 2.0 (Client)

1 x MicroSD

1 x docking connector (Pogo/JAE)

Option for 1 x SIM card slot (Micro-SIM, 3FF)

Option for RF antenna pass-through for GPS and WWAN

Communication Interface

Wi-Fi 802.11ac

Bluetooth (v5.0)

Dedicated GPS

Option for 4G LTE mobile broadband

Security

Option for contactless HF RFID/NFC combo reader

Expansions Slots

Option for 1D/2D imager barcode reader

Power Supply

AC adapter (25W, 100V to 240V, 50 / 60Hz)

Li-Ion battery (3.8V, 8480mAh)

Dimension and Weight

7"	H 142 x W 218 x D 27mm	762g

Getac ZX70 Rugged Tablet

Accessories Included

    AC adapter (25W, 12V / 2A, 100V to 240V, 50 / 60Hz)

    Capacitive stylus with tether

    Pen holder

    Wrist strap

Accessories Optional

    Carry bag

    Office dock AC adapter (60W, 110V to 240V)

    DC-DC vehicle adapter (120W, 11V to 32V)

    Capacitive stylus with tether

    Protection film

    Shoulder strap (2-point

    Wrist strap

    Rotating hand strap with kickstand and stylus holder

    USB to RS232 converter cable

    Docking connector to HDMI converter cable

    Vehicle dock

    Office dock

Warranty and After Sales Support

    Standard 3 years