Getac T800 Rugged Tablet





Highlights

Built for today's mobile workforce, the Getac T800 fully rugged tablet features an 8.1" HD LumiBond display for better viewing experience, the latest wireless technology, and a thin, ergonomic design which allows it to be held comfortably in one hand. The T800 provides bestin-class battery life to get you through your shift and it's no-compromise rugged features guarantee that it will always be ready.



Designed to fit ergonomically in one hand, the new T800 tablet weighs less than 900g and is less than 0.24cm thick, with a concave, non-slip case that makes it easy to grip.



- 8.1" touch, 1280 x 800
- Sunlight readable
- Windows 10 Pro
- Intel Atom x7-Z8750
- MIL-STD-810H & IP65 certified
- Operating temperature -21°C to 50°C
- Option for ATEX & IECEx certification
- Wide range of options
- 3 years warranty



- has more than 30 years experience
- delivers reliable IT solutions for demanding environments
- builds compact and high performance solutions
 focuses on long duration, 24/7-operation, and ruggedness
- is ISO 9001:2015-certified
- is known for providing the best assistance and services in all phases.

Getac T800 Rugged Tablet

Specifications

Model Type

Rugged tablet

Rugged Feature

MIL-STD-810H / 461G certified & IP65 certified

e-Mark certified for vehicle usage

Vibration & 6ft (1.8m) drop resistant

e-Mark certified for vehicle usage

Option for ANSI/UL 121201, CSA C22.2 NO. 213 (Class I,

Division 2, Groups A, B, C, D)

Option for ATEX & IECEx certification with the following:

ATEX/IECEx Zone 2/22

Ex II 3G Ex ic op is IIC T4 Gc

Ex II 3D Ex ic op is IIIB T130°C Dc

Environment

Operating -21°C to 50°C

temperature

Storage -51°C to 71°C

temeperature

Humidity 95% RH (non-condensing)

Operating System

Windows 10 Pro

Processor

Intel Atom x7-Z8750 1.6GHz (up to 2.56GHz) 2MB cache

Graphic Controller

Intel HD graphics

Display

8.1" 1280 x 800,

1280 x 800, IPS TFT LCD 16:10, WXGA LumiBond w

LumiBond with sunlight readable technology

Brightness

600 nits

Pointing Device

Projected capacitive multi touch (supports gloves)

Option for dual mode touchscreen (multi touch & digitizer)

RAM

4GB LPDDR3 (expandable to 8GB)

Storage

128GB (option for eMMC 256GB)

Keyboard

Power button

5 tablet programmable buttons

Input / Output

1 x FHD webcam

1 x 8M pixels auto focus rear camera

1 x audio in/out combo

1 x DC in jack

1 x USB 3.2 Gen 1 Type-A

1 x micro HDMI

1 x docking connector

Option for SIM card slot x 1 (Mini-SIM, 2FF)

Option for RF antenna pass-through for GPS / WWAN / WLAN

Communication Interface

Intel Wi-Fi 6 AX200, 802.11ax

Bluetooth (v5.2)

Option for dedicated GPS

Option for 4G LTE mobile broadband

Optional 10 / 100 / 1000 base-T ethernet (occupies expansion slot)

Security

TPM 2.0

Option for SnapBack add-on: smart card and HF RFID/NFC combo reader

Option for SnapBack add-on: smart card and magnetic stripe reader



Getac T800 Rugged Tablet

Expansions Slots

Option for 1D/2D imager barcode reader / serial port / ethernet

Option for SnapBack add-on: smart card and HF RFID/NFC reader combo

Option for SnapBack add-on: 2nd expanded battery Option for SnapBack add-on: smart card and magnetic stripe reader

Multimedia Bay

Power Supply

AC adapter (65W, 100V to 240V, 50 / 60Hz)

Li-Ion battery (7.4V, 4200mAh)

LifeSupport battery swappable technology (only with SnapBack 2nd battery)

Dimension and Weight

8.1" H 151 x W 227 x D 24mm 0.88kg

Accessories Included

Battery (7.4V, 4200mAh)

AC adapter (65W, 100V to 240V)

Capacitive stylus with tether

Accessories Optional

Carry bag

2nd expanded battery (14.4V, 2100mAh)

Multi-Bay charger (Dual-Bay)

Multi-Bay expanded battery dock with adapter (Six-Bay)

Multi-Bay charger (Eight-Bay)

AC adapter (65W, 100V to 240V)

Office dock AC adapter (90W, 100V to 240V)

MIL-STD-461 certified AC adapter (90W, 115V to 230V)

DC-DC vehicle adapter (120W, 11V to 32V)

Digitizer pen

Capacitive stylus with tether

Protection film

Hand strap

Shoulder strap (2-point)

Wrist strap

Vehicle cradle

Vehicle dock

Office dock

Warranty and After Sales Support

Standard 3 years

