
Getac S410 Semi-Rugged Notebook





Highlights

Raising the bar on the semi-rugged notebook class, the Getac S410 is more rugged, slimmer and lighter than ever before. S410 boasts the latest computing innovations, including 11th generation Intel Core i7 processor, enhanced graphics and multiple security options for greater flexibility. The S410 puts greater power and adaptability into the hands of mobile professionals across a range of industries.



- 14", 1366 x 768
- Intel 11th generation i3 / i5 / i7
- Windows 10 Pro
- MIL-810H & IP53 certified
- Operating temperature -29° to 63°C
- Option for full HD, 1920 x 1080
- Wide range of options
- 3 years warranty







- has more than 30 years experience
- delivers reliable IT solutions for demanding environments
- builds compact and high performance solutions
 focuses on long duration, 24/7-operation, and ruggedness
- is ISO 9001:2015-certified
- is known for providing the best assistance and services in all phases.

Getac S410 Semi-Rugged Notebook

Specifications

Model Type

Semi rugged notebook

Rugged Feature

MIL-STD-810H certified and IP53 certified

Splash resistant keyboard

Vibration & 3ft (0.9m) drop resistant

Sealed ports and connectors

Shock-protected removable SSD

Environment

Operating -29°C to 63°C

temperature

Storage -51°C to 71°C

temperature

Humidity 95% RH (non-condensing)

Operating System

Windows 10 Pro

Processor

Intel Core i3-1115G4 (max 4.1GHz) with turbo boost technology, 6MB smart cache

Intel Core i5-1135G7 (max 4.2GHz) with turbo boost technology, 8MB smart cache

Intel Core i5-1145G7 vPro (max 4.4GHz) with turbo boost technology, 8MB smart cache

teermology, or is small eache

Intel Core i7-1165G7 (max 4.7GHz) with turbo boost technology, 12MB smart cache

Intel Core i7-1185G7 vPro (max 4.8GHz) with turbo boost

technology, 12MB smart cache

Graphic Controller

Intel UHD Graphics (i3)

Intel Iris Xe Graphics (i5 / i7)

Option for NVIDIA GeForce GTX 1650 4GB discrete graphic

controller

Display

14" 1366 x 768, 16:9, HD

(option for 1920 x 1080, 16:9, FHD) TFT LCD LumiBond sunlight readable display

Brightness

1000 nits

Pointing Device

Touchscreen Option for capacitive multi-touch screen

Touchpad Glide touchpad with multi-touch

RAM

8GB DDR4 (expandable to 16GB / 32GB / 64GB)

Storage

SATA SSD 256GB

Option for SATA SSD 512GB / 1TB

Option for 2nd storage: SATA SSD 256GB / 512GB / 1TB

Keyboard

LED backlit membrane keyboard

Input / Output

Standard

1 x audio in/out combo

1 x DC in Jack

1 x USB 2.0

2 x USB 3.2 Gen 2 Type-A

1 x Thunderbolt 4

1 x LAN (RJ45)

1 x HDMI

1 x docking connector

Option for 1 x FHD webcam

Option for 1 x SIM card slot (Mini-SIM, 2FF)

Option for 1 x Windows Hello Faceauthentication Camera (front-facing

Option for RF Antenna Pass-through for GPS,

WWAN and WLAN

Option for

Serial port (9-pin, D-sub) + VGA port (15-pin,

D-sub) + 2nd LAN (RJ45)

Serial port (9-pin, D-sub) + VGA port (15-pin, D-sub) + PowerShare USB 3.2 Gen 1 Type-A

Serial port (9-pin, D-sub) + Display port + 2nd

AN (RJ45)

Serial port (9-pin, D-sub) + Display port + PowerShare USB 3.2 Gen 1 Type-A



Getac S410 Semi-Rugged Notebook

Communication Interface

Intel Wi-Fi 6 AX201, 802.11ax 10 / 100 / 1000 base-T Ethernet

Bluetooth (v5.2)

Option for dedicated GPS

Option for 4G LTE mobile broadband with integrated GPS

Security

TPM 2.0

Kensington lock

Option for Intel vPro Technology

Option for HF RFID reader

Option for fingerprint reader

Option for smart card reader

Option for 1 x Windows Hello Face-authentication

Camera(front-facing)

Expansions Slots

Option for 1 x smart card reader

Multimedia Bay

Weight saver

Option for PCMCIA Type

Option for ExpressCard / 34 / 54

Option for DVD super multi drive

Option for multimedia bay battery

Option for Blu-Ray super multi drive

Option for 2nd storage

Power Supply

AC adapter (90W, 100V to 240V, 50 / 60Hz)

Li-ion battery (10.8V, 6900mAh)

Option for AC adapter (120W, 100V to 240V, 50 / 60Hz)

Option for multimedia bay battery (11.1V, 4200mAh)

Option for 2nd battery (10.8V, 6900mAh)

Dimension and Weight

14" H 293 x W 350 x D 38.5mm 2.38kg

Accessories Included

Battery (10.8V, 6900mAh)

AC adapter (90W, 100V to 240V, 50 / 60Hz)

Capacitive stylus with tether

Accessories Optional

Carry bag

2nd battery (10.8V, 6900mAh)

Multimedia 2nd SSD

Multimedia bay battery (11.1V, 4200mAh)

Multi-Bay charger (Dual-Bay)

Multi-Bay charger (Eight-Bay)

DC-DC vehicle adapter (120W, 11V to 32V)

Capacitive stylus with tether

Protection film

Vehicle dock

Office dock

100W Type-C adapter

Option for AC adapter (120W, 100V to 240V, 50 / 60Hz)

Warranty and After Sales Support

Standard 3 years

